The VIPER CEX410 is a professional self-contained and silent carpet extractor. With its excellent cleaning performance, you can maintain textiles like carpets and upholstery in an efficient and easy way, the powerful vacuum motor ensures fast dry-time.

The machine is equipped with large capacity tanks; 35L solution and 23L recovery made of ridged, chemical resistant and environmentally friendly polyethylene. The handle can easily be adjusted for different operator heights to obtain an ergonomic working position.

- · Low sound level enabling daytime cleaning
- · Easy to maintain and service, with no tools needed
- · Manual upholster or floor tool accessories available
- · Foot operated parking stand for brush protection



Picture shown may not represent model quoted

Standard equipment

	Included accessories	Ref. no.	Min. required	CEX410-US CARPET EXTRACTOR 120V	CEX410-EU CARPET EXTRACTOR 220-240V	CEX410-CN CARPET EXTRACTOR 220-240V
Brush			,			
	BRUSH KIT	VV81059	0	•	•	•
Other						
	CORD DETACHABLE 50 FEET US	VV67116	0	•		
	CORD FIXED 15M CN	VV81430-1	0			•
	CORD FIXED 15M EU	VV81428-1	0		•	
	CORD FIXED 15M UK 220-240V	VV81421-1	0			
~	VACUUM SHOE KIT	VV81249	0	•	•	•



	Included accessories		Ref. no.	Min. required	CEX410-UK CARPET EXTRACTOR
Brush					
	BRUSH KIT		VV81059	0	•
Other					
	CORD DETACHABLE 50 FEET US		VV67116	0	
	CORD FIXED 15M CN		VV81430-1	0	
	CORD FIXED 15M EU		VV81428-1	0	
9	CORD FIXED 15M UK 220-240V		VV81421-1	0	•
>	VACUUM SHOE KIT		VV81249	0	•
Model		CEX410-US CARPET EXTRACTOR 120V	CEX410-EU CARPET EXTRACTO 220-240V		CEX410-CN CARPET EXTRACTOR 220-240V
Ref. no.		50000545	50000546		50000548
PRODUCT F	EATURES				
Detachable c	ord	•			
With fixed cal	ble		•		•
Adjustable br	ush pressure	•	•		•
Solution filter		•	•		•
Adjustable ha	andle	•	•		•
Drain hose		•	•		•
Parking funct	ion	•	•		•
Model					CEX410-UK CARPET EXTRACTOR
Ref. no.					50000602
PRODUCT F	EATURES				
Detachable c	ord				
Nith fixed cal	ble				•
Adjustable br	ush pressure				•
Solution filter					_



Model	CEX410-UK CARPET EXTRACTOR
Ref. no.	50000602
PRODUCT FEATURES	
Adjustable handle	•
Drain hose	•
Parking function	•

Technical specifications	CEX410-US CARPET EXTRACTOR 120V	CEX410-EU CARPET EXTRACTOR 220-240V	CEX410-CN CARPET EXTRACTOR 220-240V
Voltage (V)	110-120	220-240	220-240
Frequency (Hz)	50-60	50-60	50-60
Rated power (W)	-	1850	1850
Brush motor (W)	0.5 HP	400	400
Vacuum motor power (W)	1.6 HP	1200	1200
Vacuum (mm H2O)	4.7	3200	3200
Sound pressure level (dB(A))	68+/- 3	70+/- 3	70+/- 3
Solution flow rate gpm (I/min.)	0.7 gal/min	2.8	2.8
Handle vibration level (m/s²)	<0.09	<2.5	<2.5
Working width (mm)	18 inch	460	460
Cleaning width (mm)	16 inch	410	410
Cable length (m)	50 ft	15	15
Solution tank (I)	9 gal	35	35
Recovery tank (I)	6 gal	23	23
Brush speed (RPM)	1400	1400	1400
Dimensions, L x W x H (mm)	46x20x35 inch	1170x510x880	1170x510x880
Gross weight (gvw) (kg)	176 lbs	80	80
Net weight (kg)	121 lbs	55	55
Shipping weight (kg)	143 lbs	65	65
Current draw, rated (A)	14.6	-	-
Body height	29 inch	740 mm	740 mm
Floor tool	10 inch	254 mm	254 mm
Upholstery tool	4.7 inch	121 mm	121 mm
Packaging dimensions	35.5x24x36.5 inch	900x605x925 mm	900x605x925 mm



Voltage (V) 220-240 Frequency (Hz) 50-60 Rated power (W) 1850 Brush motor (W) 400 Vacuum motor power (W) 1200 Vacuum (mm H2O) 3200 Sould pressure level (dB(A)) 70+/- 3 Solution flow rate gpm (l/min.) 2.8 Handle vibration level (m/s²) 460 Cleaning width (mm) 460 Cleaning width (mm) 15 Solution tank (I) 35 Recovery tank (I) 23 Brush speed (RPM) 1400 Dimensions, L x W x H (mm) 1170x510x880 Gross weight (gw) (kg) 80 Net weight (kg) 55 Shipping weight (kg) 65 Current draw, rated (A) - Body height 740 mm Floor tool 254 mm Upholstery tool 121 mm Packaging dimensions 900x605x925 mm	Technical specifications	CEX410-UK CARPET EXTRACTOR
Rated power (W) 1850 Brush motor (W) 400 Vacuum motor power (W) 1200 Vacuum (mm H2O) 3200 Sound pressure level (dB(A)) 70+/- 3 Solution flow rate gpm (Vmin.) 2.8 Handle vibration level (m/s²) <2.5	Voltage (V)	220-240
Brush motor (W) 400 Vacuum motor power (W) 1200 Vacuum (mm H2O) 3200 Sound pressure level (dB(A)) 70+/- 3 Solution flow rate gpm (//min.) 2.8 Handle vibration level (m/s²) <2.5	Frequency (Hz)	50-60
Vacuum motor power (W) 1200 Vacuum (mm H2O) 3200 Sound pressure level (dB(A)) 70+/- 3 Solution flow rate gpm (l/min.) 2.8 Handle vibration level (m/s²) <2.5	Rated power (W)	1850
Vacuum (mm H2O) 3200 Sound pressure level (dB(A)) 70+/-3 Solution flow rate gpm (l/min.) 2.8 Handle vibration level (m/s²) <2.5	Brush motor (W)	400
Sound pressure level (dB(A)) 70+/- 3 Solution flow rate gpm (l/min.) 2.8 Handle vibration level (m/s²) <2.5	Vacuum motor power (W)	1200
Solution flow rate gpm (l/min.) 2.8 Handle vibration level (m/s²) <2.5	Vacuum (mm H2O)	3200
Handle vibration level (m/s²) <2.5	Sound pressure level (dB(A))	70+/- 3
Working width (mm) 460 Cleaning width (mm) 410 Cable length (m) 15 Solution tank (I) 35 Recovery tank (I) 23 Brush speed (RPM) 1400 Dimensions, L x W x H (mm) 1170x510x880 Gross weight (gww) (kg) 80 Net weight (kg) 55 Shipping weight (kg) 65 Current draw, rated (A) - Body height 740 mm Floor tool 254 mm Upholstery tool 121 mm	Solution flow rate gpm (I/min.)	2.8
Cleaning width (mm) 410 Cable length (m) 15 Solution tank (I) 35 Recovery tank (I) 23 Brush speed (RPM) 1400 Dimensions, L x W x H (mm) 1170x510x880 Gross weight (gvw) (kg) 80 Net weight (kg) 55 Shipping weight (kg) 65 Current draw, rated (A) - Body height 740 mm Floor tool 254 mm Upholstery tool 121 mm	Handle vibration level (m/s²)	<2.5
Cable length (m) 15 Solution tank (I) 35 Recovery tank (I) 23 Brush speed (RPM) 1400 Dimensions, L x W x H (mm) 1170x510x880 Gross weight (gww) (kg) 80 Net weight (kg) 55 Shipping weight (kg) 65 Current draw, rated (A) - Body height 740 mm Floor tool 254 mm Upholstery tool 121 mm	Working width (mm)	460
Solution tank (I) 35 Recovery tank (I) 23 Brush speed (RPM) 1400 Dimensions, L x W x H (mm) 1170x510x880 Gross weight (gvw) (kg) 80 Net weight (kg) 55 Shipping weight (kg) 65 Current draw, rated (A) - Body height 740 mm Floor tool 254 mm Upholstery tool 121 mm	Cleaning width (mm)	410
Recovery tank (I) 23 Brush speed (RPM) 1400 Dimensions, L x W x H (mm) 1170x510x880 Gross weight (gvw) (kg) 80 Net weight (kg) 55 Shipping weight (kg) 65 Current draw, rated (A) - Body height 740 mm Floor tool 254 mm Upholstery tool 121 mm	Cable length (m)	15
Brush speed (RPM) Dimensions, L x W x H (mm) Gross weight (gvw) (kg) Net weight (kg) Shipping weight (kg) Current draw, rated (A) Body height Floor tool Upholstery tool 1400 1170x510x880 80 80 Floor tool 55 Shipping weight (kg) 65 Current draw, rated (A) 740 mm 121 mm	Solution tank (I)	35
Dimensions, L x W x H (mm) Gross weight (gvw) (kg) Net weight (kg) Shipping weight (kg) Current draw, rated (A) Body height Floor tool Upholstery tool 1170x510x880 80 80	Recovery tank (I)	23
Gross weight (gvw) (kg) 80 Net weight (kg) 55 Shipping weight (kg) 65 Current draw, rated (A) Body height 740 mm Floor tool 254 mm Upholstery tool 121 mm	Brush speed (RPM)	1400
Net weight (kg) 55 Shipping weight (kg) 65 Current draw, rated (A) Body height 740 mm Floor tool 254 mm Upholstery tool 121 mm	Dimensions, L x W x H (mm)	1170x510x880
Shipping weight (kg) 65 Current draw, rated (A) - Body height 740 mm Floor tool 254 mm Upholstery tool 121 mm	Gross weight (gvw) (kg)	80
Current draw, rated (A) Body height Floor tool Upholstery tool 121 mm	Net weight (kg)	55
Body height 740 mm Floor tool 254 mm Upholstery tool 121 mm	Shipping weight (kg)	65
Floor tool 254 mm Upholstery tool 121 mm	Current draw, rated (A)	-
Upholstery tool 121 mm	Body height	740 mm
	Floor tool	254 mm
Packaging dimensions 900x605x925 mm	Upholstery tool	121 mm
	Packaging dimensions	900x605x925 mm

 \bullet Standard equipment, \circ Supplementary accessories, \square Mountable equipment

Accessories		Ref. no.	Min. required	CEX410-US CARPET EXTRACTOR 120V	CEX410-EU CARPET EXTRACTOR 220-240V	CEX410-CN CARPET EXTRACTOR 220-240V
Other						
	CORD DETACHABLE 50 FEET US	VV67116	0	•		
	CORD FIXED 15M CN	VV81430-1	0			•
	CORD FIXED 15M EU	VV81428-1	0		•	
	CORD FIXED 15M UK 220-240V	VV81421-1	0			



	Accessories	Ref. no.	Min. required	CEX410-US CARPET EXTRACTOR 120V	CEX410-EU CARPET EXTRACTOR 220-240V	CEX410-CN CARPET EXTRACTOR 220-240V
SI	FLOOR TOOL KIT INCL 2.5M HOSE	VV81316	0	0	0	0
C	UPHOLSTERY TOOL KIT INCL HOSE 63-250CM	VV81250	0	0	0	0
>	VACUUM SHOE KIT	VV81249	0	•	•	•
Brush						
	BRUSH KIT	VV81059	0	•	•	•
Upholstery N	ozzle					
A Section of the sect	UPHOLSTERY HAND TOOL 4IN 10CM	VV81314	0	0	0	0
Liquid Spraye	Liquid Sprayer					
2	SINGLE NOZZLE SPRAYER KIT	VV78350	0	0	0	0

 $[\]bullet$ Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	CEX410-UK CARPET EXTRACTOR
Other				
	CORD DETACHABLE 50 FEET US	VV67116	0	
	CORD FIXED 15M CN	VV81430-1	0	
	CORD FIXED 15M EU	VV81428-1	0	
%	CORD FIXED 15M UK 220-240V	VV81421-1	0	•
\int	FLOOR TOOL KIT INCL 2.5M HOSE	VV81316	0	0



	Accessories	Ref. no.	Min. required	CEX410-UK CARPET EXTRACTOR
C	UPHOLSTERY TOOL KIT INCL HOSE 63-250CM	VV81250	0	0
>	VACUUM SHOE KIT	VV81249	0	•
Brush				
	BRUSH KIT	VV81059	0	•
Upholstery Nozzle				
A STATE OF THE STA	UPHOLSTERY HAND TOOL 4IN 10CM	VV81314	0	0
Liquid Sprayer				
0	SINGLE NOZZLE SPRAYER KIT	VV78350	0	0

