according to Regulation (EC) No. 1907/2006



# dalli SENSITIV UNIVERSALWASCHMITTEL

SDS Number: S1021705 Revision Date: 14.03.2022 Version 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : dalli SENSITIV UNIVERSALWASCHMITTEL

Unique Formula Identifier

(UFI)

: FDJ3-70A0-R007-RYN6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Home care

stance/Mixture Washing powders, detergents and cleaning agents

1.3 Details of the supplier of the safety data sheet

Dalli-Werke GmbH & Co.KG Manufacturer

> Zweifaller Straße 120 D-52224 Stolberg Tel.: 0049 (0)2402 8900

E-mail address of person

responsible for the SDS

dalli-msds@dalli-group.com

### 1.4 Emergency telephone number

Informationszentrale gegen Vergiftungen Klinik und Poliklinik für Allgemeine Pädiatrie Zentrum für Kinderheilkunde, Universitätsklinikum Bonn Gebäude 30, ELKI (Eltern-Kind-Zentrum) Venusberg-Campus 1

53127 Bonn

Notruf: +49-228-19 24 0

Fax: +49-228-28 7-3 32 78 / +49-228-28 7-3 33 14

Email: gizbn@ukb.uni-bonn.de

http://www.gizbonn.de

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

REGULATION (EC) No 1272/2008

Eye irritation, Category 2 H319: Causes serious eye irritation. (Expert

judgement and weight of evidence determination

(DetNet).)



# dalli SENSITIV UNIVERSALWASCHMITTEL

Version 1.1 SDS Number: S1021705 Revision Date: 14.03.2022

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

REGULATION (EC) No 1272/2008

Hazard pictograms

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/

doctor if you feel unwell.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

According to our experience and to the information provided to us, the product does not have any harmful effects if it is used and handled as specified.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Chemical nature : Washing powders, detergents and cleaning agents

Components

	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Alcohols, C10-18, ethoxylated	157627-86-6	Acute Tox. 4; H302	>= 10 - < 20



# dalli SENSITIV UNIVERSALWASCHMITTEL

Version 1.1 SDS Number: S1021705 Revision Date: 14.03.2022

	500-337-8 Exempted (Polymer)	Eye Dam. 1; H318 Aquatic Chronic 3; H412	
SODIUM C10-13 ALKYL BENZENESULFONATE	68411-30-3 270-115-0 01-2119489428-22	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 3 - < 10
Pyrithione sodium	3811-73-2 223-296-5	Eye Dam. 1; H318 Acute Tox. 4; H302 Acute Tox. 4; H332 Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 100	>= 0,0025 - < 0,025

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.

If skin irritation persists, call a physician.

In case of eye contact : Protect unharmed eye.

If eye irritation persists, consult a specialist.

Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

If swallowed : Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person. If accidentally swallowed obtain immediate medical attention. Gently wipe or rinse the inside of the mouth with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.



# dalli SENSITIV UNIVERSALWASCHMITTEL

SDS Number: S1021705 Version 1.1 Revision Date: 14.03.2022

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : None

ucts

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment. Personal precautions

Use non-slip safety shoes in areas where spills or leaks can

occur.

6.2 Environmental precautions

Environmental precautions Do not flush into surface water or sanitary sewer system.

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

#### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling For personal protection see section 8.

No special handling advice required.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Store at room temperature in the original container.



# dalli SENSITIV UNIVERSALWASCHMITTEL

Version 1.1 SDS Number: S1021705 Revision Date: 14.03.2022

areas and containers

Advice on common storage : No materials to be especially mentioned.

Storage class (TRGS 510) : 10-13, German Storage Class 10 to 13

Further information on stor-

age stability

: No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Pyrithione sodium	3811-73-2	AGW (Inhalable	0,2 mg/m3	DE TRGS
		fraction)	_	900
	Peak-limit: excursion factor (category): 2;(II)			
	Further information: Skin absorption, When there is compliance with the OEL			
	and biological tolerance values, there is no risk of harming the unborn child			

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
SODIUM C10-13 ALKYL BENZENESULFONA TE	Workers	Inhalation	Long-term systemic effects, Long-term local effects	6 mg/m3
	Workers	Skin contact	Long-term systemic effects	85 mg/kg
	Consumers	Inhalation	Long-term systemic effects, Long-term local effects	1,5 mg/m3
	Consumers	Skin contact	Long-term systemic effects	42,5 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
SODIUM C10-13 ALKYL	Fresh water	0,268 mg/l
BENZENESULFONATE		_
	Marine water	0,027 mg/l
	Fresh water sediment	8,1 mg/kg
	Marine sediment	6,8 mg/kg
	Soil	35 mg/kg

### 8.2 Exposure controls

## Personal protective equipment

Eye protection : Safety glasses



# dalli SENSITIV UNIVERSALWASCHMITTEL

Version 1.1 SDS Number: S1021705 Revision Date: 14.03.2022

Hand protection

Remarks : not required
Skin and body protection : not required
Respiratory protection : not required

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state : liquid
Colour : colourless
Odour : odourized
Odour Threshold : Not relevant

Melting point/range : not determined

Boiling point/boiling range : not determined

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Flash point :  $> 60 \, ^{\circ}\text{C}$ 

Method: ISO 2719

Auto-ignition temperature : not determined

Decomposition temperature : No data available

pH : 8,7 - 9,1 (20 - 25 °C)

Concentration: 100 %

(undiluted)

Viscosity

Viscosity, dynamic : not determined

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Density : ca. 1,014 g/cm3 (23 °C)

Bulk density : Not applicable

Relative vapour density : No data available

#### 9.2 Other information

according to Regulation (EC) No. 1907/2006



# dalli SENSITIV UNIVERSALWASCHMITTEL

Version 1.1 SDS Number: S1021705 Revision Date: 14.03.2022

Explosives : Not applicable

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : Not classified as supporting combustion according to the

transport regulations.

Evaporation rate : Not relevant

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Stable under recommended storage conditions.

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

#### 10.4 Conditions to avoid

Conditions to avoid : Protect from frost.

## 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Not classified based on available information.

### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

### **Components:**

# Alcohols, C10-18, ethoxylated:

Acute oral toxicity : LD50 Oral (Rat): > 300 - 2.000 mg/kg

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

according to Regulation (EC) No. 1907/2006



# dalli SENSITIV UNIVERSALWASCHMITTEL

Version 1.1 SDS Number: S1021705 Revision Date: 14.03.2022

#### **SODIUM C10-13 ALKYL BENZENESULFONATE:**

Acute oral toxicity : LD50 Oral (Rat): 1.080 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Remarks : According to the classification criteria of the European Union,

the product is not considered as being a skin irritant.

### **Components:**

### Alcohols, C10-18, ethoxylated:

Assessment : No skin irritation Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

**Product:** 

Remarks : Eye irritation

#### **Components:**

### Alcohols, C10-18, ethoxylated:

Species : Rabbit Method : Draize Test

Result : Irreversible effects on the eye

## Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### **Product:**

Remarks : Not applicable

# Germ cell mutagenicity

Not classified based on available information.

# Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.



# dalli SENSITIV UNIVERSALWASCHMITTEL

Version 1.1 SDS Number: S1021705 Revision Date: 14.03.2022

### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**Further information** 

**Product:** 

Remarks : Health injuries are not known or expected under normal use.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Components:**

### Alcohols, C10-18, ethoxylated:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 1 - 10 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1 - 10 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 1 - 10

mg/l

Exposure time: 72 h

### **SODIUM C10-13 ALKYL BENZENESULFONATE:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,67 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

NOEC (Desmodesmus subspicatus (green algae)): 2,4 mg/l

Exposure time: 72 h

Pyrithione sodium:

M-Factor (Acute aquatic tox-

100

icity)



# dalli SENSITIV UNIVERSALWASCHMITTEL

Version 1.1 SDS Number: S1021705 Revision Date: 14.03.2022

### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: The surfactant(s) contained in this mixture com-

plies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent

manufacturer.

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

### 12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:** 

Additional ecological infor-

mation

: There is no data available for this product.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product : Offer surplus and non-recyclable solutions to a licensed dis-

posal company.

In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.



# dalli SENSITIV UNIVERSALWASCHMITTEL

SDS Number: S1021705 Revision Date: 14.03.2022 Version 1.1

Waste Code The waste is hazardous waste pursuant to EU legislation. The

waste code is to be defined in accordance with national legis-

lation and the intended purpose.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

# 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Remarks Not classified as dangerous in the meaning of transport regu-

lations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

Article 57).

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

Not applicable

Water hazard class (Germa- : WGK 2 obviously hazardous to water

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) Total dust:

Not applicable

Inorganic substances in powdered form:

Not applicable

Inorganic substances in vapour or gaseous form:

Not applicable Organic Substances: Not applicable

Carcinogenic substances:



# dalli SENSITIV UNIVERSALWASCHMITTEL

Version 1.1 SDS Number: S1021705 Revision Date: 14.03.2022

Not applicable Mutagenic: Not applicable Toxic to reproduction: Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

#### 15.2 Chemical safety assessment

There is no data available for this product.

### **SECTION 16: Other information**

#### **Full text of H-Statements**

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H318 : Causes serious eye damage.

H332 : Harmful if inhaled. H400 : Very toxic to aquatic life.

H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Skin Irrit. : Skin irritation

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Speci-

according to Regulation (EC) No. 1907/2006



# dalli SENSITIV UNIVERSALWASCHMITTEL

Version 1.1 SDS Number: S1021705 Revision Date: 14.03.2022

fied; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

### Classification of the mixture:

Eye Irrit. 2 H319

### Classification procedure:

Expert judgement and weight of evidence determination (DetNet).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN